

PHILIPS

MASTER LEDcandle

MASTER LEDcandle DT 6-40W E14 B38 CL AP



Specifications

General Characteristics

Cap-Base	E14
Bulb	B38
Bulb Finish	Clear
Rated Lifetime (hours)	25000 hr
Nominal Lifetime hours	25000 hr

Light Technical Characteristics

Color Code	WW
Color Designation (text)	Warm White
Luminous Flux	470 Lm

Color rendering index	80
Luminous Efficacy Lamp	75 Lm/W
Color Temperature	2200-2700 K [CCT 2200K-2700K]
Rated Luminous Flux	470 Lm
LLMF - end nominal lifetime	70 %
Colour consistency	6 steps
Electrical Characteristics	
Wattage	6 W
Voltage	220-240 V
Line Frequency	50-60 Hz
Power Factor	0.7 -
Lamp Current mA	35 mA
Dimmable	Yes
Wattage Equivalent	40 W
Rated Wattage	6.0 W
Starting Time	0.5 (max) s
Suitable for accent lighting	No
Temperature Characteristics	
T-case maximum	95 C
Environmental characteristics	
Energy Efficiency Label (EEL)	A+
Energy consumption kWh/1000h	6 kWh
Measuring Conditions	
Switching cycle	50000X
Product Dimensions	
Overall Length C	113 mm

Diameter D	38 mm
<hr/> Product Data <hr/>	
Order code	929001140408
Full product code	929001140408
Full product name	MASTER LEDcandle DT 6-40W E14 B38 CL AP
Order product name	MAS LEDcandle DT 6-40W E14 B38 CL AP
Pieces per pack	1
Packing configuration	10
Packs per outerbox	10
Bar code on pack - EAN1	8718696453520
Bar code on outerbox - EAN3	8718696453537
Logistic code(s) - 12NC	929001140408
Net weight per piece	0.063 kg
Successor order code	