



TL5 Essential Super 80

TL5 Essential 28W/830 1SL

Philips TL5 Essential Super80 is a new fluorescent lamp which provides home users and professional end-users an aesthetic miniaturized lighting solution with high reliability at low price.

Product data

• General Characteristics

Cap-Base	G5
Bulb	T5 [16 mm]
Life to 10% fail	10000 hr
Preheat EL,3h	
Life to 50% fail	20000 hr
Preheat EL,3h	
LSF HF Preheat	98 %
2000h Rated,3h	
LSF HF Preheat	97 %
4000h Rated,3h	
LSF HF Preheat	95 %
6000h Rated,3h	
LSF HF Preheat	93 %
8000h Rated,3h	
LSF HF Preheat	84 %
12000h Rated,3h	
LSF HF Preheat	70 %
16000h Rated,3h	
LSF HF Preheat	50 %
20000h Rated,3h	

• Light Technical Characteristics

Color Code	830 [CCT of 3000K]
Color Rendering Index	82 Ra8
Color Designation (text)	Warm White
Color Temperature	3000 K
Luminous Flux EL 25°C, Rated	2600 Lm
Luminous Flux EL 25°C, Nominal	2600 Lm
Luminous Flux Lamp EL 35°C	2900 Lm

Lum Efficacy Rated HF 25°C	94 Lm/W
Lum Efficacy Rated HF 35°C	104 Lm/W
Luminance Average EL 25°C	1.5 cd/cm ²
LLMF HF 2000h Rated	94 %
LLMF HF 4000h Rated	92 %
LLMF HF 6000h Rated	91 %
LLMF HF 8000h Rated	90 %
LLMF HF 12000h Rated	88 %
LLMF HF 16000h Rated	87 %
LLMF HF 20000h Rated	86 %
Design Temperature	30 C
Chromaticity Coordinate X	440 -
Chromaticity Coordinate Y	403 -

• Electrical Characteristics

Lamp Wattage	28 W
Lamp Wattage EL 25°C, Rated	27.8 W
Lamp Wattage EL 25°C, Nominal	28 W
Lamp Wattage EL 35°C	27.8 W
Lamp Voltage EL 25°C	165 V

PHILIPS

TL5 Essential Super 80

Lamp Voltage EL 35°C	165 V
Lamp Current EL 25°C	0.170 A
Lamp Current EL 35°C	0.170 A
Dimmable	Yes

• Environmental Characteristics

Energy Efficiency Label (EEL)	A
Mercury (Hg) Content	3.0 mg

• Measuring Conditions

Calibration Current	0.170 A
HF Generator Rated Voltage	329 V
Resistor	950 ohm

• Product Dimensions



Base Face to Base Face A	1149.0 (max) mm
--------------------------	-----------------

Insertion Length B	1153.7 (min), 1156.1 (max) mm
Overall Length C	1163.2 (max) mm
Diameter D	17.0 (max) mm

• Product Data

Order code	927926783058
Full product code	927926783058
Full product name	TL5 Essential 28W/830 UNP
Order product name	TL5 Essential 28W/830 UNP/40
Pieces per pack	1
Packing configuration	40
Packs per outerbox	40
Bar code on pack - EAN1	8711500570437
Bar code on outerbox - EAN3	8711500570444
Logistic code(s) - 12NC	927926783058
Net weight per piece	0.096 kg

Dimensional drawing




G5

TL5 Essential 28W/830 1SL

Product	A (Max)	B (Min)	B (Max)	C (Max)	D (Max)
TL5 ESS 28W/830	1149.0	1153.7	1156.1	1163.2	17.0

Photometric data



© 2013 Koninklijke Philips N.V. (Royal Philips)
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2013, June 21
data subject to change