

* TEUBEL

Outdoor meter boxes Slide rail

PART NO.	DESCRIPTION	BOX SIZE W X H (mm)	PANELS W X H (mm)	METERS RELAYS
S Type: Northland, Auckland, Hamilton, Taupo and Rotorua				
10050N	NDC1S BW	360 x 430	230 x 150	2
10020	NDC1S FW	360 x 430	120 x 110	2
10120	DCB1S 25W FW	400x600	120x110	4
10119	DCB1S 25W BW	400x600	240x150	4
10111	DCB1S 25W T/H BW	400x600	240x150	4
10110	DCB1S 25W T/H FW	400x600	120x110	4
10050	DC2S 25W	500 x 500	455 x 200	3
10060	DC3S 25W	500 x 650	305 x 355	4
10080	DC4S 25W	650 x 650	305 x 355	6
10090	DC5S 25W	650 x 950	305 x 200 (2)	12

TECHNICAL NOTES

Depth 220mm. Including 25mm door

- S** Slide rail
- BW** Back wired
- FW** Front wired
- TH** Top hung
- P** Plain
- 25W** 25mm deep door with window



10050N NDC1S



10050 DC2S



10060 DC3S



10080 DC4S



10090 DC5S

Outdoor meter box components

PART NO.	DESCRIPTION	SIZE W X H (mm)
Replacement Windows Round		
19001	NDC1S + DC4 Relay Window	280 x 126
19002	DCB1S M1 + DC1	330 x 126
19003	DC2S + DC3S	430 x 126
19004	DC4S + DC5S	565 x 126
19005	DC3S Relay Window	176 x 126
Replacement Windows Square		
19001S	NDC1S + DC4 Relay Window	280 x 126
19002S	DCB1S M1 + DC1	330 x 126
19003S	DC2S + DC3S	430 x 126
19004S	DC4S + DC5S	565 x 126
19005S	DC3S Relay Window	176 x 126
MBH	Outdoor Meterbox Hinge Set	
MBS	Outdoor Meterbox Screw	
MLD07	Meterbox Catch Pairs	

TECHNICAL NOTES

Depth 220mm. Including 25mm door



10120 DCB1S



Outdoor meter box Flashing kits

PART NO.	DESCRIPTION
Flashing Kits	
44336	Flashing Kit: NDC1, NDC1S, NDHB
45050	Flashing Kit: DC2, DC2S, DWP2, DHB2, NP2
46040S	Flashing Kit: DCB1S, M1, DS1
46050	Flashing Kit: DC1
46060	Flashing Kit: DS2, M2
46550	Flashing Kit: DC3, DC3S, DWP3, NP3, DHB3
46565	Flashing Kit: DC4, DC4S
49565	Flashing Kit: DC5, DC5S

TECHNICAL NOTES

The Department of Building and Housing requires that all meter boxes have Flashing Kits installed as per the standard: Acceptable Solutions E2/AS.1


Failure to install a flashing kit may well result in a Code of Compliance Certificate not being issued.

INSTRUCTION SHEET (PRE-CLADDING)

- 1 Attach bottom flashing first. Followed by sides and top.
- 2 Drill and rivet flashing to box (using sealant).
- 3 Fold tabs as per diagram.

IMPORTANT

Match the flashing depth on the box to fit the type of cladding.



44336

Outdoor meter box


Full panel

PART NO.	DESCRIPTION	BOX SIZE W X H (mm)	PANELS W X H (mm)	WINDOWS
DC: Northland, Auckland, Hamilton, Taupo and Rotorua				
11040	DC1 25W	350 x 500	310 x 445	1
11041	DC1 25P	350 x 500	310 x 445	
11042	DC1 25W TH	350 x 500	310 x 445	1
11043	DC1 25P TH	350 x 500	310 x 445	
11050N	NDC1 25W	360 x 430	310 x 390	1
11051N	NDC1 25P	360 x 430	310 x 390	
11050	DC2 25W	500 x 500	455 x 455	1
11051	DC2 25P	500 x 500	455 x 455	
11060	DC3 25W	500 x 650	455 x 610	2
11061	DC3 25P	500 x 650	455 x 610	
11080	DC4 25W	650 x 650	610 x 610	2
11081	DC4 25P	650 x 650	610 x 610	
11097	DC5 25W	650 x 950	610 x 915	3
DWP: Wellington				
11200N	NDWP 25W	360 x 430	310 x 390	1
11210	DWP2 25W	500 x 500	455 x 455	1
11230	DWP3 25W	500 x 650	455 x 610	2
11231	DWP3 25P	500 x 650	455 x 610	
11232	DWP3 50W	500 x 650	455 x 610	2
NP: New Plymouth				
11555	NP2 25W	500 x 500	455 x 455	1
11566	NP3 25W	500 x 650	455 x 610	2
DHB: Hawkes Bay				
11300N	NDHB 25W	360 x 430	310 x 390	1
11301N	NDHB 25P	360 x 430	310 x 390	
11320	DHB2 25W	500 x 500	455 x 455	1
11321	DHB2 25P	500 x 500	455 x 455	
11330	DHB3 25W	500 x 650	455 x 610	2
11331	DHB3 25P	500 x 650	455 x 610	


TECHNICAL NOTES

Depth 220mm. Including 25mm Door
65mm Clearance behind panel


BOX SIZE PANEL SIZE




360x430 310x390
11050N




500x500 455x455
11050



500x650 455x610
11060



650x650 610x610
11080



650x950 610x915
11097

Outdoor meter box

PART NO.	DESCRIPTION	BOX SIZE W X H (mm)	WINDOWS
M Range			
10900	M1 1W (NP)	400 x 600	1
10901	M1 25W (PP)	400 x 600	1
10902	M1 25W, Top Hung (PP)	400 x 600	1
10906	M1 2W (NP)	400 x 600	2
10907	M1 25W (PP)	400 x 600	2
10910	M1 2W, Top Hung (NP)	400 x 600	2
10911	M1 25W, Top Hung	400 x 600	2
10912	M1 1W, Top Hung (NP)	400 x 600	1
10916	M2 2W (NP)	600 x 600	2
10918	M2 25W (PP)	600 x 600	2
10920	M2 2W, Top Hung (NP)	600 x 600	2
10930	M0, Hinged Plastic Panel	400 x 600	0

TECHNICAL NOTES

Depth 220mm. Including 25mm Door

Outdoor meter box Pre-wired

PART NO.	DESCRIPTION	BOX SIZE W X H (mm)	WINDOWS
Pre-Wired Meter Boxes			
10912-SPW	M1 Pre-Wired Meter Box	400 x 600	1
10120-SPW	DCB1S Pre-Wired Meter Box	400 x 600	2



M1 METERBOX
10900



M2 METERBOX
10916

Outdoor meter box Replacement doors

**PART
NO.**

DESCRIPTION

Meter Box Replacement Doors	
17050	DC2, DC2s, NP2, DWP2, DHB2, 1 Window, Side Hung
17051	DC2, DHB2, No Window, Side Hung
17060	DC3, DC3s, NP3, DWP3, DHB3, 2 Window, Side Hung
17061	DC3, DWP3, DHB3, No Window, Side Hung
17080	DC4, DC4s, 2 Window, Side Hung
17081	DC4, DC4s, No Window, Side Hung
17090	DC5, DC5s, 3 Window, Side Hung
17091	DC5, DC5s, No Window, Side Hung
17120	DCB1S, M1, 2 Window, Side Hung
17121	DCB1S, M1, No Window, Side Hung
17200	NDC1, NDC1S, 1 Window, Side Hung
17201	NDC1, NDC1S, No Window, Side Hung
17801	DC1, No Window, Side Hung
17802	DC1, No Window, Top Hung
17803	DC1, 1 Window, Side Hung
17804	DC1, 1 Window, Top Hung
17900	DCB1S, M1, 1W, Side Hung
17901	DCB1S, M1, 1 Window, Top Hung
17915	M2, 2 Window, Top Hung
17916	M2, 2 Window, Side Hung
17919	NDB1, NDB1S, No Window, Top Hung
17922	NCB1S, M1, No Window, Side Hung



Temporary builders box

PART NO.	DESCRIPTION	DOOR SIZE W X H (mm)	PANELS W X H (mm)
Temporary Builders Box			
12011N	NDB1 PP, PL	360 x 430	305 x 305
12013N	NDB1 WP, PL	360 x 430	305 x 305
12031N	NDB1S PP, PL	360 x 430	240 x 150
12033N	NDB1S WP, PL	360 x 430	240 x 150

TECHNICAL NOTES

- PP** Plain Panel
PL Plain Lid
WP Wired Panel Fitted With:-
 1 x 63A Main Switch
 1 x RCBO 20A + 30mA
 1 x Double Switched Socket Unit 10A
 2 x 63A 2 stud 2 way earth / neutral bars

Outdoor meter distribution box

Slide rail


PART NO.	DESCRIPTION	BOX SIZE W X H (mm)
Outdoor Meter Distribution		
12616	DCB1S - D16 Outdoor Meter Distribution 16 Way, One Window	400 x 600
10064	DC3S - D30 Outdoor Meter Distribution 30 Way, 2 Window	500 x 650
12860	DC5S - D60 - Outdoor Meter Distribution 60 Way, 3 Window	650 x 950

TECHNICAL NOTES


Does not include circuit breakers




NDB1WP PL
12013N



NDB1PP PL
12011N



NDB1S PP PL
12031N



NDB1S WP PL
12033N



DCB1S-D16
12616

Indoor meter distribution board Ezywire standard

PART NO.	DESCRIPTION	DOOR SIZE W X H (mm)	SIZE CUT OUT W X H X D (mm)
Indoor Meter Board: Flush Mounted, Plain Front, Standard Depth 90mm			
EZM4	Indoor Meter Board - 1 Smart SP Meter	375 x 445	355 x 425 x 90
EZM6	Indoor Meter Board - 2 Smart SP Meters	375 x 595	355 x 575 x 90
EZMP6-151	15 Way Meter Distribution Board	375 x 595	355 x 575 x 90
EZMP8-302	30 Way Meter Distribution Board	375 x 745	355 x 725 x 90
EZMP8-453	45 Way Meter Distribution Board	375 x 745	355 x 725 x 90
EZMP10-604	60 Way Meter Distribution Board	375 x 970	355 x 950 x 90
Indoor Meter Board: Flush Mounted, Window, Extra Deep 140mm			
EZM4D	Indoor Meter Board Deep - 1 Smart SP Meter	375 x 445	355 x 425 x 140
EZM6D	Indoor Meter Board Deep - 2 Meters SP/3P	375 x 595	355 x 575 x 140
EZM8D	Indoor Meter Board Deep - 4 Meters SP/3P	375 x 745	355 x 725 x 140
EZMP6-151D	15 Way Meter Distribution Board	375 x 595	355 x 575 x 140
EZMP8-302D	30 Way Meter Distribution Board	375 x 745	355 x 725 x 140
EZMP8-453D	45 Way Meter Distribution Board	375 x 745	355 x 725 x 140
EZMP10-604D	60 Way Meter Distribution Board	375 x 970	355 x 950 x 140



EZM4



EZM6



EZMP8-453

Indoor distribution board

Ezywire standard

PART NO.	DESCRIPTION	DOOR SIZE W X H (mm)	SIZE CUT OUT W X H X D (mm)
Metal Distribution Board, Flush Mounted, Plain Front			
EZP151	MCB, 15SP, 1 Row	375 x 295	355 x 275 x 90
EZP302	MCB, 30SP, 2 Row	375 x 445	355 x 425 x 90
EZP453	MCB, 45SP, 3 Row	375 x 595	355 x 575 x 90
EZP604	MCB, 60SP, 4 Row	375 x 745	355 x 725 x 90
Surface Mount Kit			
EZSM2	Surface Mount Kit for EZ-2 Series	400 x 325	
EZSM4	Surface Mount Kit for EZ-4 Series	400 x 475	
EZSM6	Surface Mount Kit for EZ-6 Series	400 x 625	
EZSM8	Surface Mount Kit for EZ-8 Series	400 x 775	
EZSM10	Surface Mount Kit for EZ-10 Series	400 x 1000	
Ezywire Components			
MLD28	MCB Blank - Covers 6 Spaces		
MLD42	Ezywire Hinge & Pin		
MLD43	Ezywire Magnetic Latch		



Indoor meter distribution board

Ezywire jumbo

PART NO.	DESCRIPTION	SIZE CUT OUT W X H X D (mm)
Indoor Meter Distribution Board, Shallow		
JEZMP8-482	Meter, MCB 48SP, 2 Rows	500 x 725 x 90
JEZMP10-723	Meter, MCB 72SP, 3 Rows	500 x 950 x 90
Indoor Meter Distribution Board, Deep		
JEZMP6-24ID	Meter, MCB 24SP, 1 Row	500 x 725 x 140
JEZMP8-482D	Meter, MCB 48SP, 2 Rows	500 x 725 x 140
JEZMP10-723D	Meter, MCB 72SP, 3 Rows	500 x 950 x 140
Indoor Distribution Board, Plain Door		
JEZP8-723	MCB, 72SP, 3 Rows	500 x 725 x 90
JEZP10-1205	MCB, 120SP, 5 Rows	500 x 950 x 90
Surface Mount Kit		
JEZSM6		
JEZSM8		
JEZSM10		



JEZMP8-482



JEZMP6-24ID

IMPORTANT

These Jumbo Boards are 500mm wide



Indoor replacement door and surround Ezywire

PART NO.	DESCRIPTION
Replacement Door Meter Distribution (plain)	
EZ2DP	Fits EZP151
EZ4DP	Fits EZM4, EZP302
EZ6DP	Fits EZM6, EZMP6-151, EZP453
EZ8DP	Fits EZMP8-302, EZMP8-453, EZP604
EZ10DP	Fits EZMP10-604
Replacement Door Data (vented)	
EZ2DV	Fits EZDV2, ST1010
EZ4DV	Fits EZDV4, ST1510
EZ6DV	Fits EZDV6, ST2010
EZ8DV	Fits EZDV8, ST3010
EZ10DV	Fits EZDV10, ST3020
Replacement Surround Meter	
EZM4F	Fits EZM4
EZM4DF	Fits EZM4D
EZM6F	Fits EZM6
EZM6DF	Fits EZM6D
Replacement Surround Meter Distribution	
EZMP6-151F	Fits EZMP6-151
EZMP6-151DF	Fits EZMP6-151D
EZMP8-302F	Fits EZMP8-302
EZMP8-302DF	Fits EZMP8-302D
EZMP8-453F	Fits EZMP8-453
EZMP8-453DF	Fits EZMP8-453D
EZMP10-604F	Fits EZMP10-604
EZMP10-604DF	Fits EZMP10-604D

Indoor replacement door and surround Ezywire

PART NO. **DESCRIPTION**

Replacement Surround Distribution

EZP2-151F	Fits EZP151
EZP4-302F	Fits EZP302
EZP6-453F	Fits EZP453
EZP8-604F	Fits EZP604

Replacement Surround Data

EZDV2F	Fits EZDV2, ST1010
EZDV4F	Fits EZDV4, ST1510
EZDV6F	Fits EZDV6, ST2010
EZDV8F	Fits EZDV8, ST3010
EZDV10F	Fits EZDV10, ST3020

TECHNICAL NOTES

Frames have hinges
Doors have latches

Residential switchboard components

Earth neutral busbars - 63A

PART NO.	DESCRIPTION	SIZE LENGTH (mm)
63A, 6mm Pitch: Studs x 1		
34041	4 Way 63amp 1 Stud 6mm Pitch	57
34061	6 Way 63amp 1 Stud 6mm Pitch	65
34081	8 Way 63amp 1 Stud 6mm Pitch	77
34101	10 Way 63amp 1 Stud 6mm Pitch	89
34121	12 Way 63amp 1 Stud 6mm Pitch	101
34141	14 Way 63amp 1 Stud 6mm Pitch	113
34161	16 Way 63amp 1 Stud 6mm Pitch	125
34181	18 Way 63amp 1 Stud 6mm Pitch	140
34201	20 Way 63amp 1 Stud 6mm Pitch	149
34241	24 Way 63amp 1 Stud 6mm Pitch	173
34301	30 Way 63amp 1 Stud 6mm Pitch	209
34361	36 Way 63amp 1 Stud 6mm Pitch	245
63A, 6mm Pitch: Studs x 2		
34042	4 Way 63amp 2 Stud 6mm Pitch	70
34062	6 Way 63amp 2 Stud 6mm Pitch	80
34082	8 Way 63amp 2 Stud 6mm Pitch	92
34102	10 Way 63amp 2 Stud 6mm Pitch	104
34122	12 Way 63amp 2 Stud 6mm Pitch	116
34142	14 Way 63amp 2 Stud 6mm Pitch	128
34162	16 Way 63amp 2 Stud 6mm Pitch	140
34182	18 Way 63amp 2 Stud 6mm Pitch	152
34202	20 Way 63amp 2 Stud 6mm Pitch	164
34242	24 Way 63amp 2 Stud 6mm Pitch	188
34302	30 Way 63amp 2 Stud 6mm Pitch	224
34362	36 Way 63amp 2 Stud 6mm Pitch	260
63A, 6mm Pitch: Studs x 3		
34043	4 Way 63amp 3 Stud 6mm Pitch	85
34063	6 Way 63amp 3 Stud 6mm Pitch	94
34083	8 Way 63amp 3 Stud 6mm Pitch	106
34103	10 Way 63amp 3 Stud 6mm Pitch	118
34123	12 Way 63amp 3 Stud 6mm Pitch	130
34143	14 Way 63amp 3 Stud 6mm Pitch	142
34163	16 Way 63amp 3 Stud 6mm Pitch	154
34183	18 Way 63amp 3 Stud 6mm Pitch	167
34203	20 Way 63amp 3 Stud 6mm Pitch	178
34243	24 Way 63amp 3 Stud 6mm Pitch	202
34303	30 Way 63amp 3 Stud 6mm Pitch	238
34363	36 Way 63amp 3 Stud 6mm Pitch	274



34061



34062



34103

Residential switchboard components

Earth neutral busbars - 63A

PART NO.	DESCRIPTION	SIZE LENGTH (mm)
63A, 9.5mm Pitch: Studs x 1		
30041	4 Way 63amp 1 Stud 9.5mm Pitch	80
30061	6 Way 63amp 1 Stud 9.5mm Pitch	101
30081	8 Way 63amp 1 Stud 9.5mm Pitch	120
30101	10 Way 63amp 1 Stud 9.5mm Pitch	139
30121	12 Way 63amp 1 Stud 9.5mm Pitch	158
30141	14 Way 63amp 1 Stud 9.5mm Pitch	177
30161	16 Way 63amp 1 Stud 9.5mm Pitch	196
30181	18 Way 63amp 1 Stud 9.5mm Pitch	214
30201	20 Way 63amp 1 Stud 9.5mm Pitch	234
30241	24 Way 63amp 1 Stud 9.5mm Pitch	272
63A, 9.5mm Pitch: Studs x 2		
30042	4 Way 63amp 2 Stud 9.5mm Pitch	100
30062	6 Way 63amp 2 Stud 9.5mm Pitch	118
30082	8 Way 63amp 2 Stud 9.5mm Pitch	138
30102	10 Way 63amp 2 Stud 9.5mm Pitch	157
30122	12 Way 63amp 2 Stud 9.5mm Pitch	175
30142	14 Way 63amp 2 Stud 9.5mm Pitch	194
30162	16 Way 63amp 2 Stud 9.5mm Pitch	213
30182	18 Way 63amp 2 Stud 9.5mm Pitch	233
30202	20 Way 63amp 2 Stud 9.5mm Pitch	251
30242	24 Way 63amp 2 Stud 9.5mm Pitch	289
63A, 9.5mm Pitch: Studs x 3		
30043	4 Way 63amp 3 Stud 9.5mm Pitch	122
30063	6 Way 63amp 3 Stud 9.5mm Pitch	140
30083	8 Way 63amp 3 Stud 9.5mm Pitch	159
30103	10 Way 63amp 3 Stud 9.5mm Pitch	178
30123	12 Way 63amp 3 Stud 9.5mm Pitch	197
30143	14 Way 63amp 3 Stud 9.5mm Pitch	216
30163	16 Way 63amp 3 Stud 9.5mm Pitch	235
30183	18 Way 63amp 3 Stud 9.5mm Pitch	255
30203	20 Way 63amp 3 Stud 9.5mm Pitch	273
30243	24 Way 63amp 3 Stud 9.5mm Pitch	311



30061



30062



30063

Residential switchboard components

Miscellaneous components

PART NO.	DESCRIPTION	PACK QUANTITY
Copper Links, Earth Clamp, Bonding Strip		
34400	120 Amp Adaptor Plate	10
20000	PVC Danger Signs	40
33001	63 Amp Copper Link	50
16550	160 Amp Link Set	3
20050	250 Amp Copper Link	1
33120	16mm Brass Earth Clamps	50
EC100	EC100 Earth Strap Max ¾"	5
EC200	EC200 Earth Strap Max 1 ½"	10
EC400	EC400 Earth Strap Max 4"	10
VF101/100	Versi Frame (plastic)*	100
NL3P	Neutral PEG RCD 3 Way	
ANTI-TAMPER-2P	DIN Rail Mounted Anti-Tamper Bracket 2 pole	1
ANTI-TAMPER-3P	DIN Rail Mounted Anti-Tamper Bracket 3 pole	1

TECHNICAL NOTES

*Flush Frame is suitable for retrofitting switches and power points.

PVC blank panels, grey

PART NO.	DESCRIPTION	SIZE W X H X D (mm)
51212	PVC Panel Grey	305mm x 305mm x 4.5mm
51218	PVC Panel Grey	305mm x 457mm x 4.5mm
51818	PVC Panel Grey	457mm x 457mm x 4.5mm
51824	PVC Panel Grey	457mm x 610mm x 4.5mm
52424	PVC Panel Grey	610mm x 610mm x 6mm
52436	PVC Panel Grey	610mm x 915mm x 6mm
55536	PVC Panel Grey	360mm x 555mm x 4.5mm
55500	PVC Panel Grey	555mm x 555mm x 4.5mm


Special sizes available on request



33001



20050



20000



33120



Earth Strap



Versi Frame



NL3P



PVC Panel