

## CLIPFIX 35-5

Order No.: 3022276



<http://eshop.phoenixcontact.com.sg/phoenix/treeViewClick.do?UID=3022276>

Snap-on end bracket, for NS 35/7.5 or NS 35/15 DIN rail, can be fitted with Zack strip ZB 5 and ZBF 5, terminal strip marker KLM 2 and KLM, parking facility for FBS...5, FBS...6, KSS 5, KSS 6, width: 5,15 mm, color: gray

Commercial data	
EAN	 4 017918 194154
Pack	50 pcs.
Customs tariff	39269097
Catalog page information	Page 344 (CL2-2011)

### Product notes

WEEE/RoHS-compliant since:  
01-01-2003



Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation at <http://www.download.phoenixcontact.com>. The General Terms and Conditions of Use apply to Internet downloads.

Technical data	
<b>General data</b>	
Height	35 mm
Length	48.5 mm
Width	5.15 mm
Material	PA

Color	gray
-------	------

### Accessories

Item	Designation	Description
<b>General</b>		
0811969	KLM 3	Terminal strip marker carrier, height-adjustable, for end brackets CLIPFIX 15, CLIPFIX 35 and CLIPFIX 35-5, can be labeled with BMK...20 x 8 labels, or directly with the M-PEN or X-PEN
0814788	KLM 3-L	Terminal strip marker carrier, height-adjustable, for end brackets CLIPFIX 15, CLIPFIX 35 and CLIPFIX 35-5, can be labeled with BMK...20 x 8 labels, or directly with the M-PEN or X-PEN

### Marking

1051993	B-STIFT	Marker pen, for manual labeling of unprinted Zack strips, smear-proof and waterproof, line thickness 0.5 mm
0807575	KLM 2	Terminal strip marker carrier, gray, Unlabeled, Mounting type: Plug in, Lettering field: 20 mm x 8 mm
0801505	UCT-EM (30X5)	Marker for end clamp, Sheet, white, Unlabeled, Can be labeled with: Thermomark C, Bluemark, Mounting type: Snapped into marker carrier, Lettering field: 30 x 5 mm
0830340	UCT-EM (30X5) YE	Marker for end clamp, Sheet, yellow, Unlabeled, Can be labeled with: Thermomark C, Bluemark, Mounting type: Snapped into marker carrier, Lettering field: 30 x 5 mm
0811228	X-PEN 0,35	Marker pen without ink cartridge, for manual labeling of markers, labeling extremely wipe-proof, line thickness 0.35 mm
1050004	ZB 5 :UNBEDRUCKT	Zack marker strip, Strip, white, Unlabeled, Can be labeled with: Plotter, Mounting type: Snap into tall marker groove, For terminal block width: 5.2 mm, Lettering field: 5.1 x 10.5 mm
0824962	ZB 5 CUS	Zack marker strip, Strip, white, Labeled according to customer specifications, Mounting type: Snap into tall marker groove, For terminal block width: 5.2 mm, Lettering field: 5.15 x 10.5 mm
1050017	ZB 5,LGS:FORTL.ZAHLEN	Zack marker strip, Strip, white, Labeled, Can be labeled with: Plotter, Printed horizontally: Consecutive numbers 1 - 10, 11 - 20, etc. up to 491 - 500, Mounting type: Snap into tall marker groove, For terminal block width: 5.2 mm, Lettering field: 5.15 x 10.5 mm
0825025	ZBF 5 CUS	Zack Marker strip, flat, Strip, white, Labeled according to customer specifications, Mounting type: Snap into flat marker groove, For terminal block width: 5 mm, Lettering field: 5.15 x 5.15 mm
0808671	ZBF 5,LGS:FORTL.ZAHLEN	Zack Marker strip, flat, Strip, white, Labeled, Printed horizontally: Consecutive numbers 1 - 10, 11 - 20, etc. up to 491 - 500, Mounting type: Snap into flat marker groove, For terminal block width: 5 mm, Lettering field: 5.15 x 5.15 mm
0808642	ZBF 5:UNBEDRUCKT	Zack Marker strip, flat, Strip, white, Unlabeled, Can be labeled with: Plotter, Mounting type: Snap into flat marker groove, For terminal block width: 5 mm, Lettering field: 5.1 x 5.2 mm

**Address**

Phoenix Contact SEA Pte. Ltd.  
750C Chai Chee Road  
SGP-Singapore 469003, Singapore  
Phone +65/6243-6781  
Fax +65/6443-0039  
<http://www.phoenixcontact.com.sg/>



Technical modifications reserved;