

ROSE


SUSPENDED ULTRA SLIM UP AND DOWN MAGNETIC PENDANT




FEATURES

- Extruded aluminium alloy housing
- Powder coated finish in sanded black / gold colour
- Includes a 75W constant LED driver; total wattage of selected modules must not exceed 75W
- Suspension height adjustable from 230mm to 1500mm

DIMENSIONS




IMAGES



MODEL NO.	LENGTH	COLOUR
GUM500/2024 BK	2024mm	Black
GUM500/1524 BK	1524mm	Black
GUM500/1524 GD	1524mm	Gold


EYE MODULE



Unit: mm

MODEL NO.	INPUT VOLTAGE (V)	POWER (W)	OUTPUT CURRENT (mA)	LUMEN (lm)	COLOUR TEMPERATURE (K)	CRI	R9	BEAM ANGLE (°)	FITTING COLOUR
GUM501/WW/BK	24(DC)	12	0.4	298	3000	>90	56	30	Black


DIFFUSER MODULE



Unit: mm

MODEL NO.	INPUT VOLTAGE (V)	POWER (W)	OUTPUT CURRENT (mA)	LUMEN (lm)	COLOUR TEMPERATURE (K)	CRI	R9	BEAM ANGLE (°)	FITTING COLOUR
GUM502/300/WW/BK	24(DC)	6	0.26	488	3000	>90	63	100	Black
GUM502/600/WW/BK	24(DC)	12	0.44	804	3000	>90	67	100	Black


GRILLE MODULE



Unit: mm

MODEL NO.	INPUT VOLTAGE (V)	POWER (W)	OUTPUT CURRENT (mA)	LUMEN (lm)	COLOUR TEMPERATURE (K)	CRI	R9	BEAM ANGLE (°)	FITTING COLOUR
GUM503/WW/BK	24(DC)	6	0.25	234	3000	>90	66	60	Black


TRACK SPOT MODULE



Unit: mm

MODEL NO.	INPUT VOLTAGE (V)	POWER (W)	OUTPUT CURRENT (mA)	LUMEN (lm)	COLOUR TEMPERATURE (K)	CRI	R9	BEAM ANGLE (°)	FITTING COLOUR
GUM504/WW/BK	24(DC)	5	0.15	365	3000	>90	59	30	Black


TRACK SPOT MODULE



Unit: mm

MODEL NO.	INPUT VOLTAGE (V)	POWER (W)	OUTPUT CURRENT (mA)	LUMEN (lm)	COLOUR TEMPERATURE (K)	CRI	R9	BEAM ANGLE (°)	FITTING COLOUR
GUM505/WW/GD	24(DC)	5	0.17	328	3000	>90	61	30	Gold

TRACK SPOT MODULE



Unit: mm

MODEL NO.	INPUT VOLTAGE (V)	POWER (W)	OUTPUT CURRENT (mA)	LUMEN (lm)	COLOUR TEMPERATURE (K)	CRI	R9	BEAM ANGLE (°)	FITTING COLOUR
GUM506/WW/GD	24(DC)	12	0.44	867	3000	>90	60	100	Gold

Combo Option A



TRACK GUM500/1524 BK

MODULE

1. GUM502/300/WW/BK



×1

Colour Temperature: 3000K
Power: 6W
Fitting Colour: Black

2. GUM504/WW/BK



×2

Colour Temperature: 3000K
Power: 5W
Fitting Colour: Black

3. GUM505/WW/GD



×2

Colour Temperature: 3000K
Power: 5W
Fitting Colour: Gold

4. GUM501/WW/BK




×2

Colour Temperature: 3000K
Power: 12W
Fitting Colour: Black

Total Wattage: **50W**

Combo Option B



TRACK
GUM500/1524 BK

MODULE

1. GUM502/300/WW/BK



×2

Colour Temperature: 3000K
Power: 6W
Fitting Colour: Black

2. GUM502/600/WW/BK



×2

Colour Temperature: 3000K
Power: 12W
Fitting Colour: Black

3. GUM505/WW/GD



×2

Colour Temperature: 3000K
Power: 5W
Fitting Colour: Gold

4. GUM506/WW/GD




×1

Colour Temperature: 3000K
Power: 12W
Fitting Colour: Gold

Total Wattage: **58W**

Combo Option C



TRACK
GUM500/1524 BK

MODULE

1. GUM503/WW/BK



×5

Colour Temperature: 3000K
Power: 6W
Fitting Colour: Black

2. GUM502/300/WW/BK



×2

Colour Temperature: 3000K
Power: 6W
Fitting Colour: Black

Total Wattage: **42W**

Specifications above are for reference only and may vary without prior notice